



Distilled Water Faucets

Engineered to keep distilled water pure
Operates at a maximum 50 PSI working pressure



Deck-mount

6100 – 6" radius
6101 – 8" radius




Wall-mount

6102 – 6" radius
6103 – 8" radius


Mixing Faucets

Rigid/swivel gooseneck
All forge brass body w/chrome finish
Renewable stainless steel seats



Deck-mount

6104 – Gooseneck, nozzle, 6" radius
6105 – Gooseneck, nozzle, 8" radius
6106 – Gooseneck, aerator, 6" radius
6107 – Gooseneck, aerator, 8" radius
6108 – Vacuum breaker spout, nozzle, 6" radius
6109 – Vacuum breaker spout, nozzle, 8" radius
6110 – Vacuum breaker spout, aspirator, 6" radius
6111 – Vacuum breaker spout, aspirator, 8" radius



Wall-mount


6112 – Gooseneck, nozzle, 6" radius
6113 – Gooseneck, nozzle, 8" radius
6114 – Gooseneck, aerator, 6" radius
6115 – Gooseneck, aerator, 8" radius
6116 – Vacuum breaker spout, nozzle, 6" radius
6117 – Vacuum breaker spout, nozzle, 8" radius
6118 – Vacuum breaker spout, aspirator, 6" radius
6119 – Vacuum breaker spout, aspirator, 8" radius

Casework Plumbing Fixtures

For more complete information on plumbing fixtures and accessories, please contact your local distributor.


Ball Valve Hose Cocks

Rated to maximum 75 PSI working pressure
CSA Approved



Deck-mount

- 6000 – Single post
- 6001 – Double post, 90°
- 6002 – Double post, 180°
- 6003 – Triple post
- 6004 – Quad post




Wall-mount

- 6005 – Single flange
- 6006 – Wye flange


Single Water Faucets

Rigid/Swivel gooseneck
All forge brass body w/chrome finish
Renewable stainless steel seat



Deck-mount

- 6051 – Gooseneck, nozzle, 6" radius
- 6052 – Gooseneck, nozzle, 8" radius
- 6053 – Gooseneck, aerator, 6" radius
- 6054 – Gooseneck, aerator, 8" radius
- 6055 – Vacuum breaker spout, nozzle, 6" radius
- 6056 – Vacuum breaker spout, nozzle, 8" radius
- 6057 – Vacuum breaker spout, aspirator, 6" radius
- 6058 – Vacuum breaker spout, aspirator, 8" radius




Wall-mount

- 6059 – Gooseneck, nozzle, 6" radius
- 6060 – Gooseneck, nozzle, 8" radius
- 6061 – Gooseneck, aerator, 6" radius
- 6062 – Gooseneck, aerator, 8" radius
- 6063 – Vacuum breaker spout, nozzle, 6" radius
- 6064 – Vacuum breaker spout, nozzle, 8" radius
- 6065 – Vacuum breaker spout, aspirator, 6" radius
- 6066 – Vacuum breaker spout, aspirator, 8" radius


Casework Plumbing Fixtures

For more complete information on plumbing fixtures and accessories, please contact your local distributor.




Safety Station Shower & Eyewash Combination

6234 – with free-standing shower



Emergency Shower

6235 – with 1' l.p.s stay-open ball valve, pull rod and handle




Counter Mounted Eyewash Fixture

6208 – with two soft-stream heads


Casework Plumbing Fixtures

For more complete information on plumbing fixtures and accessories, please contact your local distributor.



Deck-mount Eyewash Fixture

6207 – with two soft-stream heads and push-to-operate ball valve



Deck-mount Eye/Face Wash

6209 – with Delrin soft-spray head